

| | | |
|---|----------------------------|-------------------------|
|  | <h1>SAFETY DATA SHEET</h1> | Page : 1 / 11 |
| | | Revision nr : 1.0 |
| | <h1>LVGO</h1> | Issue date : 26/07/2017 |
| | | Supersedes : |

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Substance
Trade name/designation : LVGO
EC-No. : 265-059-9
CAS-No. : 64741-58-8

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture : Fuels

1.2.2. Uses advised against

No data available

1.3. Details of the supplier of the safety data sheet

Saudi Aramco Luberef Co.
P.O. Box 5518
21432 Jeddah - Saudi Arabia
T +966 12 2296644/ +966 14 328 2300
webmaster@luberef.com - www.luberef.com

1.4. Emergency telephone number

| Country | Official advisory body | Address | Emergency number |
|----------------|--|---|--|
| Ireland | National Poisons Information Centre Beaumont Hospital | Beaumont Hospital Beaumont Road 9 Dublin | +353 1 809 21 66 (public, 8am - 10pm, 7/7) +353 01 809 2566 (Professionals, 24/7) |
| United Kingdom | National Poisons Information Service (Newcastle Centre) Regional Drugs and Therapeutics Centre, Wolfson Unit | Claremont Place Newcastle-upon-Tyne NE1 4LP Newcastle | 0844 892 0111 (UK only, 24/7, healthcare professionals only) |

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flam. Liq. 3 H226
Acute Tox. 4 (Inhalation) H332
Skin Irrit. 2 H315
Carc. 2 H351
STOT RE 2 H373
Asp. Tox. 1 H304
Aquatic Chronic 2 H411

Full text of hazard classes and H-statements : see section 16

| | | |
|---|--------------------------|-------------------------|
|  | SAFETY DATA SHEET | Page : 2 / 11 |
| | | Revision nr : 1.0 |
| | LVGO | Issue date : 26/07/2017 |
| | | Supersedes : |

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



Signal word :

Danger

Hazard statements (CLP) :

H226 - Flammable liquid and vapour.
H304 - May be fatal if swallowed and enters airways.
H315 - Causes skin irritation.
H332 - Harmful if inhaled.
H351 - Suspected of causing cancer.
H373 - May cause damage to organs through prolonged or repeated exposure.
H411 - Toxic to aquatic life with long lasting effects.

Precautionary statements (CLP) :

P260 - Do not breathe dust/fume/gas/mist/vapours/spray.
P273 - Avoid release to the environment.
P280 - Wear protective gloves/protective clothing/eye protection/face protection.
P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER/doctor/.
P331 - Do NOT induce vomiting.
P332+P313 - If skin irritation occurs: Get medical advice/attention.

Extra phrases :

Restricted to professional users.

2.3. Other hazards

Other hazards :

PBT/vPvB data. This substance does not meet the PBT/vPvB criteria of REACH, annex XIII. Vapours can form explosive mixtures with air.

SECTION 3: Composition/information on ingredients

3.1. Substances

Substance name : LVGO
CAS-No. : 64741-58-8
EC-No. : 265-059-9

| Substance name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|------------------------------------|--|-----|---|
| Gas oils (petroleum), light vacuum | (CAS-No.) 64741-58-8 (EC-No.) 265-059-9 (EC Index) - | 100 | Flam. Liq. 3, H226 Acute Tox. 4 (Inhalation:vapour), H332 Skin Irrit. 2, H315 Carc. 2, H351 STOT RE 2, H373 Asp. Tox. 1, H304 Aquatic Chronic 2, H411 |

Full text of H-statements: see section 16

3.2. Mixtures

Not applicable

SECTION 4: First aid measures

4.1. Description of first aid measures

Additional advice :

First aider: Pay attention to self-protection. See also section 8 . Never give anything by mouth to an unconscious person. Show this safety data sheet to the doctor in attendance. In case of doubt or persistent symptoms, consult always a physician.

| | | |
|--|--------------------------|-------------------------|
|  لهبريف luberef | SAFETY DATA SHEET | Page : 3 / 11 |
| | | Revision nr : 1.0 |
| | LVGO | Issue date : 26/07/2017 |
| | | Supersedes : |

| | |
|--------------|--|
| Inhalation | : Keep at rest. Provide fresh air. In case of doubt or persistent symptoms, consult always a physician. If unconscious place in recovery position and seek medical advice. Give oxygen or artificial respiration if necessary. |
| Skin contact | : Remove contaminated clothing and shoes. After contact with skin, wash immediately with plenty of water and soap. In case of doubt or persistent symptoms, consult always a physician. In the event of a high pressure injection injury, worker should obtain immediate medical assistance. |
| Eyes contact | : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical advice/attention. |
| Ingestion | : Do NOT induce vomiting. Rinse mouth. Rinse mouth immediately and drink plenty of water. Get medical advice/attention. |

4.2. Most important symptoms and effects, both acute and delayed

| | |
|------------------|--|
| Inhalation | : Harmful if inhaled. May cause respiratory irritation. |
| Skin contact | : Causes skin irritation. The following symptoms may occur: erythema (redness). |
| Eyes contact | : Contact with eyes may cause irritation. |
| Ingestion | : May be fatal if swallowed and enters airways. May cause gastrointestinal irritation, nausea, vomiting and diarrhoea. |
| Chronic symptoms | : Suspected of causing cancer. May cause damage to organs through prolonged or repeated exposure. |

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

| | |
|--------------------------------|--|
| Suitable extinguishing media | : Water spray, Alcohol resistant foam, Carbon dioxide, Dry extinguishing powder. |
| Unsuitable extinguishing media | : Strong water jet. |

5.2. Special hazards arising from the substance or mixture

| | |
|--|---|
| Specific hazards | : Combustible. Vapours are heavier than air and may spread along floors. On heating there is a risk of a build-up of pressure in hermetically sealed containers or tanks. |
| Explosion hazard | : Vapours may form explosive mixture with air. Vapours are heavier than air and may travel considerable distance to an ignition source and flash back to source of vapours. |
| Hazardous decomposition products in case of fire | : Carbon oxides (CO, CO ₂). Sulphur oxides. Hydrogen sulfide. sulphuric acid. |

5.3. Advice for firefighters

| | |
|---------------------------|--|
| Firefighting instructions | : Special protective equipment for firefighters. . In case of fire: Wear self-contained breathing apparatus. Use water spray or fog for cooling exposed containers. Evacuate personnel to a safe area. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. See section 9. Physical and chemical properties. |
| Other information | : Do not allow run-off from fire-fighting to enter drains or water courses. Dispose of waste in accordance with environmental legislation. |

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

| | |
|-----------------------------|--|
| For non-emergency personnel | : Avoid contact with skin, eyes and clothing. Do not breathe vapour/aerosol. Evacuate personnel to a safe area. Use personal protective equipment as required. Concerning personal protective equipment to use, see section 8. |
|-----------------------------|--|

6.1.2. For emergency responders

| | |
|--------------------------|---|
| For emergency responders | : Ensure procedures and training for emergency decontamination and disposal are in place. |
|--------------------------|---|

| | | |
|--|--------------------------|-------------------------|
|  لهبريف luberef | SAFETY DATA SHEET | Page : 4 / 11 |
| | | Revision nr : 1.0 |
| | LVGO | Issue date : 26/07/2017 |
| | | Supersedes : |

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment : Stop leak if safe to do so. Dam up the liquid spill.
 Methods for cleaning up : Do not smoke. Provide adequate ventilation. Take up liquid spill into absorbent material, e.g.: sand, earth, vermiculite or powdered limestone. Keep in suitable, closed containers for disposal. Site should have a spill plan to ensure that adequate safeguards are in place to minimize the impact of episodic releases.

6.4. Reference to other sections

Concerning personal protective equipment to use, see section 8. Concerning disposal elimination after cleaning, see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Do not burn, or use a cutting torch on the empty drum. After use replace the closing cap immediately. Concerning personal protective equipment to use, see section 8. Avoid contact with skin, eyes and clothing. Do not breathe vapour/aerosol. Provide adequate ventilation.
 Hygiene measures : Keep good industrial hygiene. Take off contaminated clothing. Wash hands and face before breaks and immediately after handling of the product. When using do not eat, drink or smoke.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Product may release Hydrogen Sulphide: A specific assessment of inhalation risks from the presence of hydrogen sulphide in tank headspaces, confined spaces, product residue, tank waste and waste water, and unintentional releases should be made to help determine controls appropriate to local circumstances.
 Storage conditions : Store in a dry, cool and well-ventilated place. Do not store near or with any of the incompatible materials listed in section 10. Bund storage facilities to prevent soil and water pollution in the event of spillage.
 Incompatible substances or mixtures : Strong oxidizing agents.
 Heat and ignition sources : Keep away from open flames, hot surfaces and sources of ignition. Keep out of direct sunlight. Do not smoke.
 Special rules on packaging : Keep in properly labelled containers.
 Packaging materials : Suitable material: Stainless steel. metal containers. Drum. Unsuitable material: Synthetic material.

7.3. Specific end use(s)

No data available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Note : This product contains aromatic oils. Aromatic oils contain high concentrations of polycyclic aromatic compounds, some of which have been shown to cause skin cancer in humans under conditions of poor personal hygiene and prolonged, repeated contact. Certain of these compounds have also produced harmful effects in laboratory animals after absorption through the skin. Although these effects have been principally to the liver and blood-forming organs, the unborn young of these animals may also be affected. The animal experiments also showed that these effects can be prevented by thorough removal of the oil from the skin.

8.2. Exposure controls

Engineering measure(s) : Provide sufficient air exchange and/or exhaust in work rooms.

| | | |
|--|--------------------------|-------------------------|
|  لهبريف luberef | SAFETY DATA SHEET | Page : 5 / 11 |
| | | Revision nr : 1.0 |
| | LVGO | Issue date : 26/07/2017 |
| | | Supersedes : |

| | |
|------------------------|--|
| Hand protection | : The selection of specific gloves for a specific application and time of use in a working area, should also take into account other factors on the working space, such as (but not limited to): other chemicals that are possibly used, physical requirements (protection against cutting/drilling, skill, thermal protection), and the instructions/specification of the supplier of gloves. rubber gloves. (EN 374). NBR (Nitrile rubber). Breakthrough time : : >480min. Thickness of the glove material: 0,54mm. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. |
| Eye protection | : Goggles. face shield (EN 166). Safety glasses |
| Body protection | : Overalls, apron and boots recommended. |
| Respiratory protection | : In case of insufficient ventilation, wear suitable respiratory equipment. Half-face mask (DIN EN 140). full face mask (DIN EN 136). Filter type: A (EN 141) / ABEK (H2S) (EN141). Self-contained open-circuit compressed air breathing apparatus (EN 137) |

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|--|---|
| Physical state | : liquid |
| Appearance | : liquid. |
| Colour | : No data available. |
| Odour | : petroleum hydrocarbon odour. |
| Odour threshold | : No data available |
| pH | : No data available |
| Relative evaporation rate (butylacetate=1) | : No data available |
| Melting / freezing point | : No data available |
| Freezing point | : No data available |
| Initial boiling point and boiling range | : 141 - 462 °C |
| Flash point | : 55 - 65 °C |
| Auto-ignition temperature | : No data available |
| Decomposition temperature | : No data available |
| Flammability (solid, gas) | : No data available |
| Vapour pressure | : No data available |
| Vapour density | : No data available |
| Relative density | : No data available |
| Solubility | : No data available |
| Partition coefficient n-octanol/water | : No data available |
| Kinematic viscosity | : 4,35 mm ² /s (@50°C) |
| Dynamic viscosity | : No data available |
| Explosive properties | : Not applicable. The study does not need to be conducted because there are no chemical groups associated with explosive properties present in the molecule. |
| Oxidising properties | : Not applicable. The classification procedure needs not to be applied because there are no chemical groups present in the molecule which are associated with oxidising properties. |
| Explosive limits | : No data available |

9.2. Other information

| | |
|-------------|---------------------|
| VOC content | : no data available |
|-------------|---------------------|

| | | |
|--|--------------------------|-------------------------|
|  لهبريف luberef | SAFETY DATA SHEET | Page : 6 / 11 |
| | | Revision nr : 1.0 |
| | LVGO | Issue date : 26/07/2017 |
| | | Supersedes : |

SECTION 10: Stability and reactivity

10.1. Reactivity

Flammable liquid. Reference to other sections: 10.5.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Vapours may form explosive mixture with air.

10.4. Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. See also section 7. Handling and storage.

10.5. Incompatible materials

Incompatible with strong acids and oxidizing agents. Bases. See also section 7. Handling and storage.

10.6. Hazardous decomposition products

Carbon oxides, H₂S, SO_x. Sulfuric acid.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Inhalation: Harmful if inhaled.

| Gas oils (petroleum), light vacuum (64741-58-8) | |
|---|----------------|
| LD50/oral/rat | > 9 mg/kg |
| LD50/dermal/rabbit | > 5 ml/kg |
| LC50/inhalation/4h/rat | >= 4,1 mg/l/4h |

| | |
|-----------------------------------|---|
| Skin corrosion/irritation | : Causes skin irritation. pH: No data available |
| Serious eye damage/irritation | : Not classified (Based on available data, the classification criteria are not met.) pH: No data available |
| Respiratory or skin sensitisation | : Not classified (Based on available data, the classification criteria are not met.) |
| Germ cell mutagenicity | : Not classified (Based on available data, the classification criteria are not met.) |
| Carcinogenicity | : Suspected of causing cancer. |
| Reproductive toxicity | : Not classified (Based on available data, the classification criteria are not met.) |
| STOT-single exposure | : Not classified (Based on available data, the classification criteria are not met.) |
| STOT-repeated exposure | : May cause damage to organs through prolonged or repeated exposure. |
| Aspiration hazard | : May be fatal if swallowed and enters airways. |

| LVGO (64741-58-8) | |
|---------------------|---------------------------------|
| Kinematic viscosity | 4,35 mm ² /s (@50°C) |

SECTION 12: Ecological information

12.1. Toxicity

Environmental properties : Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

| Gas oils (petroleum), light vacuum (64741-58-8) | |
|---|--|
| LC50 fish 1 | 48 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [semi-static]) |

12.2. Persistence and degradability

| LVGO (64741-58-8) | |
|-------------------------------|----------------------------|
| Persistence and degradability | Not readily biodegradable. |

| | | |
|---|----------------------------|-------------------------|
|  | <h1>SAFETY DATA SHEET</h1> | Page : 7 / 11 |
| | | Revision nr : 1.0 |
| | <h2>LVGO</h2> | Issue date : 26/07/2017 |
| | | Supersedes : |

12.3. Bioaccumulative potential

No data available

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

No data available

12.6. Other adverse effects

Additional information : Do not allow to enter into surface water or drains

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations : Dispose of contaminated materials in accordance with current regulations. Refer to manufacturer/supplier for information on recovery/recycling.

Additional information : Delivery to an approved waste disposal company.

European waste catalogue (2001/573/EC, 75/442/EEC, 91/689/EEC) : Waste codes should be assigned by the user based on the application for which the product was used.






The following Waste Codes are only suggestions:

13 07 03* - other fuels (including mixtures)

15 01 10* - packaging containing residues of or contaminated by dangerous substances

SECTION 14: Transport information


In accordance with ADR / RID / IMDG / IATA / ADN

| ADR | IMDG | IATA | ADN | RID |
|--|---|---|--|---|
| 14.1. UN number | | | | |
| 1202 | 1202 | 1202 | 1202 | 1202 |
| 14.2. UN proper shipping name | | | | |
| GAS OIL | GAS OIL | Gas oil | GAS OIL | GAS OIL |
| Transport document description | | | | |
| UN 1202 GAS OIL, 3, III, (D/E), ENVIRONMENTALLY HAZARDOUS | UN 1202 GAS OIL, 3, III, MARINE POLLUTANT/ENVIRONMENTALLY HAZARDOUS | UN 1202 Gas oil, 3, III, ENVIRONMENTALLY HAZARDOUS | UN 1202 GAS OIL, 3, III, ENVIRONMENTALLY HAZARDOUS | UN 1202 GAS OIL, 3, III, ENVIRONMENTALLY HAZARDOUS |
| 14.3. Transport hazard class(es) | | | | |
| 3 | 3 | 3 | 3 | 3 |
|  |  |  |  |  |
| 14.4. Packing group | | | | |
| III | III | III | III | III |
| 14.5. Environmental hazards | | | | |
| Dangerous for the environment : Yes | Dangerous for the environment : Yes Marine pollutant : Yes | Dangerous for the environment : Yes | Dangerous for the environment : Yes | Dangerous for the environment : Yes |
| ADN :N2 | | | | |

| | | |
|---|--------------------------|-------------------------|
|  | SAFETY DATA SHEET | Page : 8 / 11 |
| | | Revision nr : 1.0 |
| | LVGO | Issue date : 26/07/2017 |
| | | Supersedes : |

14.6. Special precautions for user

- Overland transport

| | |
|---|---|
| Classification code (ADR) | : F1 |
| Special provisions | : 640L, 664, 363 |
| Limited quantities (ADR) | : 5I |
| Excepted quantities (ADR) | : E1 |
| Packing instructions (ADR) | : P001, IBC03, LP01, R001 |
| Mixed packing provisions (ADR) | : MP19 |
| Portable tank and bulk container instructions (ADR) | : T2 |
| Portable tank and bulk container special provisions (ADR) | : TP1 |
| Tank code (ADR) | : LGBF |
| Vehicle for tank carriage | : AT |
| Transport category (ADR) | : 3 |
| Special provisions for carriage - Packages (ADR) | : V12 |
| Special provisions for carriage - Operation (ADR) | : S2 |
| Hazard identification number (Kemler No.) | : 30 |
| Orange plates | :  |
| Tunnel restriction code | : D/E |
| EAC code | : 3Y |

- Transport by sea

| | |
|------------------------------------|---|
| Transport regulations (IMDG) | : This product is being carried under the scope of MARPOL Annex I |
| Special provisions (IMDG) | : 363 |
| Limited quantities (IMDG) | : 5 L |
| Excepted quantities (IMDG) | : E1 |
| Packing instructions (IMDG) | : P001, LP01 |
| IBC packing instructions (IMDG) | : IBC03 |
| Tank instructions (IMDG) | : T2 |
| Tank special provisions (IMDG) | : TP1 |
| EmS-No. (Fire) | : F-E |
| EmS-No. (Spillage) | : S-E |
| Stowage category (IMDG) | : A |
| Properties and observations (IMDG) | : Immiscible with water. |
| MFAG-No | : 128 |

- Air transport

| | |
|--|--------|
| PCA Excepted quantities (IATA) | : E1 |
| PCA Limited quantities (IATA) | : Y344 |
| PCA limited quantity max net quantity (IATA) | : 10L |
| PCA packing instructions (IATA) | : 355 |
| PCA max net quantity (IATA) | : 60L |
| CAO packing instructions (IATA) | : 366 |

| | | |
|---|--------------------------|-------------------------|
|  | SAFETY DATA SHEET | Page : 9 / 11 |
| | | Revision nr : 1.0 |
| | LVGO | Issue date : 26/07/2017 |
| | | Supersedes : |

CAO max net quantity (IATA) : 220L
Special provisions (IATA) : A3
ERG code (IATA) : 3L

- Inland waterway transport

Classification code (ADN) : F1
Special provisions (ADN) : 363, 640L
Limited quantities (ADN) : 5 L
Excepted quantities (ADN) : E1
Carriage permitted (ADN) : T
Equipment required (ADN) : PP, EX, A
Ventilation (ADN) : VE01
Number of blue cones/lights (ADN) : 0

- Rail transport

Classification code (RID) : F1
Special provisions (RID) : 363, 640L
Limited quantities (RID) : 5L
Excepted quantities (RID) : E1
Packing instructions (RID) : P001, IBC03, LP01, R001
Mixed packing provisions (RID) : MP19
Portable tank and bulk container instructions (RID) : T2
Portable tank and bulk container special provisions (RID) : TP1
Tank codes for RID tanks (RID) : LGBF
Transport category (RID) : 3
Special provisions for carriage – Packages (RID) : W12
Colis express (express parcels) (RID) : CE4
Hazard identification number (RID) : 30

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Code: IBC : This product is being carried under the scope of MARPOL Annex I.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006:

| | |
|--|------|
| 3. Liquid substances or mixtures which are regarded as dangerous in accordance with Directive 1999/45/EC or are fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008 | LVGO |
| 3(b) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10 | LVGO |
| 3(c) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1 | LVGO |

LVGO is not on the REACH Candidate List

LVGO is not on the REACH Annex XIV List

VOC content : no data available

| | | |
|---|--------------------------|-------------------------|
|  | SAFETY DATA SHEET | Page : 10 / 11 |
| | | Revision nr : 1.0 |
| | LVGO | Issue date : 26/07/2017 |
| | | Supersedes : |

15.1.2. National regulations

France
Installations classées :
Not applicable.

Germany

VwVwS Annex reference : Water hazard class (WGK) 3, severe hazard to waters
12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

Netherlands

SZW-lijst van kankerverwekkende stoffen : LVGO is listed
SZW-lijst van mutagene stoffen : LVGO is listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding : The substance is not listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid : The substance is not listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling : The substance is not listed

Denmark

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product
Pregnant/breastfeeding women working with the product must not be in direct contact with the product

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acronyms:

| |
|---|
| ADN = Accord Européen relatif au Transport International des Marchandises Dangereuses par voie de Navigation du Rhin ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route CLP = Classification, Labelling and Packaging Regulation according to 1272/2008/EC IATA = International Air Transport Association IMDG = International Maritime Dangerous Goods Code LEL = Lower Explosive Limit/Lower Explosion Limit UEL = Upper Explosion Limit/Upper Explosive Limit REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals |
|---|

Sources of key data used to compile the datasheet : European Chemicals Bureau <http://ecb.jrc.it> 20100824 Concawe C&L Update, version 3.0 General Administrative Regulation under the Federal Water Act on the Classification of Substances Hazardous to Water in Water Hazard Classes (Verwaltungsvorschrift wassergefährdende Stoffe - VwVwS, 17-05-1999).

Training advice : Manipulations are to be done only by qualified and authorised persons. Training staff on good practice.

Other information : Assessment/classification CLP. Article 9. Calculation method.

Full text of H- and EUH-statements:

| | |
|----------------------------------|--|
| Acute Tox. 4 (Inhalation) | Acute toxicity (inhal.), Category 4 |
| Acute Tox. 4 (Inhalation:vapour) | Acute toxicity (inhal.), Category 4 |
| Aquatic Chronic 2 | Hazardous to the aquatic environment - chronic hazard category 2 |

| | | |
|--|--------------------------|-------------------------|
|  لهبريف luberef | SAFETY DATA SHEET | Page : 11 / 11 |
| | LVGO | Revision nr : 1.0 |
| | | Issue date : 26/07/2017 |
| | | Supersedes : |
| | | |

| | |
|---------------|--|
| Asp. Tox. 1 | Aspiration hazard, Category 1 |
| Carc. 2 | Carcinogenicity, Category 2 |
| Flam. Liq. 3 | Flammable liquids, Category 3 |
| Skin Irrit. 2 | Skin corrosion/irritation, Category 2 |
| STOT RE 2 | Specific target organ toxicity — Repeated exposure, Category 2 |
| H226 | Flammable liquid and vapour. |
| H304 | May be fatal if swallowed and enters airways. |
| H315 | Causes skin irritation. |
| H332 | Harmful if inhaled. |
| H351 | Suspected of causing cancer. |
| H373 | May cause damage to organs through prolonged or repeated exposure. |
| H411 | Toxic to aquatic life with long lasting effects. |
| | Restricted to professional users |

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830
 Classification according to Regulation (EC) No. 1272/2008 [CLP]
 Labelling according to Regulation (EC) No. 1272/2008 [CLP]

DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.